

Bid Notice

Town of Newton, Manitowoc County Request for Sealed Bids

The Town of Newton, Manitowoc County will receive sealed bids for the projects South 26th Street (Pheasant to LS) and Applewood/Rolling Hills with Cold Mix Wedging and Single Seal Coat using 3/8 Black Granite, Lambert Lane and Law Lane with Full Cold Mix of 1 ½ inch overlay.

Complete specification and bid forms for the project can be obtained by contacting Denise Thomas, Town of Newton Chairperson 6532 Carstens Lake Road, Manitowoc, WI 54220 or by phone at 920-973-6961 or on the town's official website townofnewton.org (Manitowoc County) under BIDS.

Bids are due by June 9, 2026, at 9:00 AM at the Town of Newton, Attention Denise Thomas, 6532 Carstens Lake Road, Manitowoc WI 54220. Bids will be opened on June 10, 2026, at 5:00 PM Town Board Meeting, 6532 Carstens Lake Road, Manitowoc, WI 54220.

The Town of Newton, Manitowoc County reserves the right to reject any and/or all bids and to accept any bid (s) that may be deemed most advantageous in the opinion of the Town of Newton, Manitowoc County, and shall serve in the Town's best interest. No bid may be withdrawn for a period of thirty (30) days after the time and date set for the opening, thereof, without the consent of the Town of Newton.

Official Bid Sheet

2026 Road Bids

Town of Newton
6532 Carstens Lake Road
Manitowoc, WI 53063

Project Location

Law Lane

Bid Items

1. Full Cold Mix 1 ½ Overlay (Approximately 1470 FT X 22 FT) Approximate Tons _____

\$ _____/Ton \$ _____/Total

2. Mobilization (1 Mobilization

\$ _____/per Mobilization \$ _____/Total

3. Traffic Control/Detours, Shoulder Work includes blading the existing base aggregate roadway shoulders away from the asphalt surface edge and pavement markings.

\$ _____/Total

Written Total

\$ _____
Figures

Bid submitted by: Name: _____

Title: _____

Address: _____

Official Bid Sheet

2026 Road Bids

Town of Newton
6532 Carstens Lake Road
Manitowoc, WI 53063

Project Location

Lambert Lane

Bid Items

1. Full Cold Mix 1 ½ Overlay (Approximately 1400 FT X 22 FT) Approximate Tons _____

\$ _____/Ton

\$ _____/Total

2. Mobilization (1 Mobilization

\$ _____/per Mobilization \$ _____/Total

3. Traffic Control/Detours, Shoulder Work includes blading the existing base aggregate roadway shoulders away from the asphalt surface edge and pavement markings.

\$ _____/Total

Written Total

\$ _____

Figures

Bid submitted by: Name: _____

Title: _____

Address: _____

Official Bid Sheet

2026 Road Bids

Town of Newton
6532 Carstens Lake Road
Manitowoc, WI 53063

Project Location

Applewood/Rolling Hills

Bid Items

1. Cold Mix Wedging (Approximately 2828 FT X 22 FT at approx. 44 ton)

\$ _____/Ton \$ _____/Total

Single Seal Coat using 3/8 Black Granite (Approximately 2828 FT X 22 FT)

\$ _____

2. Mobilization (1 Mobilization

\$ _____/per Mobilization \$ _____/Total

3. Traffic Control/Detours, Shoulder Work includes blading the existing base aggregate roadway shoulders away from the asphalt surface edge and pavement markings.

\$ _____/Total

Written Total

\$ _____

Figures

Bid submitted by: Name: _____

Title: _____

Address: _____

Official Bid Sheet

2026 Road Bids

Town of Newton
6532 Carstens Lake Road
Manitowoc, WI 53063

Project Location

South 26th Street (Pheasant to LS)

Bid Items

1. Cold Mix Wedging (Approximately 5220FT X 22 FT at approx. 154 ton)

\$ _____/Ton \$ _____/Total

Single Seal Coat using 3/8 Black Granite (Approximately 5220 FT X 22 FT)

\$ _____

2. Mobilization (1 Mobilization

\$ _____/per Mobilization \$ _____/Total

3. Traffic Control/Detours, Shoulder Work includes blading the existing base aggregate roadway shoulders away from the asphalt surface edge and pavement markings.

\$ _____/Total

Written Total

\$ _____

Figures

Bid submitted by: Name: _____

Title: _____

Address: _____